



Quick Start Guide

ConnectPort® X2 Ethernet



9000880-88 F

Welcome to your Digi product

Get started: This guide helps you with initial product setup. Need more? Find additional product support at www.digi.com/support/CPx2Ethernet. Or connect to the online documentation by scanning this code:




Digi Technical Support: Digi offers multiple support plans to help you get the most out of your product. For information on Technical Support plans and pricing, contact us at 877.912.3444 or visit www.digi.com/support.


Documentation Feedback: To provide feedback on this documentation, send your comments to techcomm@digi.com.

1 Verify your components


Included equipment




ConnectPort X2




Ethernet cross-over cable



Dipole antenna



Power supply - US models




Power supply - international models
(Power cord supplied by customer)

Verify that you have all included equipment. If any item is missing or damaged, contact your supplier.

2 Connect the hardware

- Connect the dipole antenna.
- Connect the Ethernet cross-over cable to the LAN connection.
- Connect the power supply, AC power cord and/or adapters, as needed.



3 Discover your device

- a. To discover your device, you need to download the Device Port Authority (DPA) utility or the Digi Device Discovery Utility from the **Diagnostics, Utilities and MIBs** tab at www.digi.com/support/CPx2Ethernet. Select your operating system from the drop-down and then download the utility.
- b. Deactivate all of your firewalls to run the utility.
- c. Run the utility and find your device in the discovery list.
- d. Double-click your device to access the web interface, and proceed to the instructions for configuring your device.

4 Configure your XBee network

- a. In the web interface, proceed to **Configuration > XBee Network**. The devices in your network appear in the list under **XBee Devices**.
- b. Click the extended address of the XBee device to find additional configuration options.

For additional information on configuring your device for your application, refer to the *ConnectPort X Family User Guide* on www.digi.com.

5 Important device information

Your device is configured to automatically register with a Device Cloud Technical Support Account when you first power up your device and connect to the Internet*. Registration is free and does not require you to take any action. With this service, the Device Cloud Technical Support team can gain visibility and access to your device to diagnose and resolve issues, if you require assistance.

If you choose not to register your device with Device Cloud Technical Support to receive enhanced service and benefits, you can disable this feature using the gateway's web UI:

1. Open the web UI of the gateway.
2. Navigate to the **Configuration > Device Cloud** section.
3. Uncheck the **Enable Device-Initiated Device Cloud Connection** option.
4. Press the **Apply** button.
5. Reboot the gateway.

For more information on the advantages of using Device Cloud, visit: www.digi.com/products/cloud/digi-device-cloud.

For information on Digi Customer Support pricing, and any other support queries, contact Technical Support at tech.support@digi.com.

*Ongoing monthly data transfer rates will be maintained with an average of less than 10MB. Network costs associated with data transfer are the customer's responsibility. Any device information stored in the Device Cloud Technical Account is secured with adherence to Device Cloud security and privacy procedures and will not be disclosed to, or accessible by, third parties.